

FLORAIL®
INTERIOR PROJECTS

Manufacture by
Aluminium Glass Railing
Accessories



World of Premium Aluminium
Glass Railing System

Welcome to

THE WORLD OF **FLORAIL**

- The Premium brand in railing system

About us :

The name of our long-standing enterprise hints of our area of expertise. We **FLORAIL INDUSTRIES**, are a railing manufacturer and supplier, widely accepted for introducing matchless quality and designer array of railing, in Aluminum, stainless steel and glass.

We are a perfectionist in introducing uniquely designed Aluminum glass railing, Modular railing, Balcony railing, stainless steel balcony railing, Glass stair railing, Glass deck railing and other railing. Each piece in our portfolio excellently showcases creativity of our designers, who put their imagination and strength in designing railing.

Our Ethics

Our exclusive range of Aluminum steel railing products supplies meets the demands of serveral users like Architects, Engineers, Civil contractors & Direst users owing to their excellent technical & physical properties.

Florail & Clients :


Our enormous success in the domestic market is solely based on our reable, responsible & quality conscious clients. throughout the year we have been able to maintain & devlope a strong relationship with our clients. The cordial relationship with our clients allow us to supply premium range of precision steel railing as well as fittings. We ensure the quality of our sourced products meet the international standard for quality. further, we endeavor to maintain long term relationship with our widespread clients.

We are working till achieve the level of your expectation

FR - 01



55 mm x 70 mm



Weight : 0.700 gm (1 Feet)
Length : 13 ft / 16 ft

Specification

- ★ Top Mounted Bracket system with continues cover profile.
- ★ This Product can support glass height up to full height.

Profile Size : 55 mm x 70 mm

Glass

- ★ 12 mm Toughened Glass
- ★ 25 mm Laminated Glass

Finishes

- ★ Wooden / Anodized / Powder Coating


Features

- ★ 100 % Recyclable
- ★ Easy Cleaning
- ★ Maintenance Free
- ★ Weather Proof
- ★ Robust for Higher Safety

FR - 02



71 mm X 81 mm



Weight : 0.850 gm (1 Feet)
Length : 13 ft / 16 ft

Specification

- ★ Top Mounted Bracket system with continues cover profile.
- ★ This Product can support glass height up to full height.

Profile Size : 71 mm X 81 mm

Glass

- ★ 12 mm Toughened Glass
- ★ 25 mm Laminated Glass

Finishes

- ★ Wooden / Anodized / Powder Coating


Features

- ★ 100 % Recyclable
- ★ Easy Cleaning
- ★ Maintenance Free
- ★ Weather Proof
- ★ Robust for Higher Safety

FR - 03



66 mm x 70 mm



Weight : 0.600 gm (1 Feet)
Length : 13 ft / 16 ft

Specification

- ★ Top Mounted Bracket system with continues cover profile.
- ★ This Product can support glass height up to full height.

Profile Size : 66 mm x 70 mm

Glass

- ★ 12 mm Toughened Glass
- ★ 25 mm Laminated Glass

Finishes

- ★ Wooden / Anodized / Powder Coating


Features

- ★ 100 % Recyclable
- ★ Easy Cleaning
- ★ Maintenance Free
- ★ Weather Proof
- ★ Robust for Higher Safety

FR - 04



66 mm X 70 mm



Weight : 0.620 gm (1 Feet)
Length : 13 ft / 16 ft

Specification

- ★ Top Mounted Bracket system with continues cover profile.
- ★ This Product can support glass height up to full height.

Profile Size : 66 mm X 70 mm

Glass

- ★ 12 mm Toughened Glass
- ★ 25 mm Laminated Glass


Finishes

- ★ Wooden / Anodized / Powder Coating



Features

- ★ 100 % Recyclable
- ★ Easy Cleaning
- ★ Maintenance Free
- ★ Weather Proof
- ★ Robust for Higher Safety

FR - 05



45 mm x 60 mm



Weight : 0.500 gm (1 Feet)
Length : 13 ft / 16 ft

Specification

- ★ Top Mounted Bracket system with continues cover profile.
- ★ This Product can support glass height up to full height.

Profile Size : 45 mm x 60 mm

Glass

- ★ 12 mm Toughened Glass
- ★ 25 mm Laminated Glass

Finishes

- ★ Wooden / Anodized / Powder Coating



Features

- ★ 100 % Recyclable
- ★ Easy Cleaning
- ★ Maintenance Free
- ★ Weather Proof
- ★ Robust for Higher Safety

FR - 06



32 mm X 58 mm



Weight : 0.600 gm (1 Feet)
Length : 13 ft / 16 ft

Specification

- ★ Top Mounted Bracket system with continues cover profile.
- ★ This Product can support glass height up to full height.

Profile Size : 32 mm X 58 mm

Glass

- ★ 12 mm Toughened Glass
- ★ 25 mm Laminated Glass

Finishes

- ★ Wooden / Anodized / Powder Coating


Features

- ★ 100 % Recyclable
- ★ Easy Cleaning
- ★ Maintenance Free
- ★ Weather Proof
- ★ Robust for Higher Safety

FR - 07



37 mm & 81 mm



Weight : 0.950 gm (1 Feet)
Length : 13 ft / 16 ft

Specification

- ★ Top Mounted Bracket system with continues cover profile.
- ★ This Product can support glass height up to full height.

Profile Size : 37 mm & 81 mm

Glass

- ★ 12 mm Toughened Glass
- ★ 25 mm Laminated Glass


Finishes

- ★ Wooden / Anodized / Powder Coating


Features

- ★ 100 % Recyclable
- ★ Easy Cleaning
- ★ Maintenance Free
- ★ Weather Proof
- ★ Robust for Higher Safety

FR - 08



40 mm x 100 mm



Weight : 1.100 kg (1 Feet)
Length : 13 ft / 16 ft

Specification

- ★ Top Mounted Bracket system with continues cover profile.
- ★ This Product can support glass height up to full height.

Profile Size : 40 mm x 100 mm

Glass

- ★ 12 mm Toughened Glass
- ★ 25 mm Laminated Glass

Finishes

- ★ Wooden / Anodized / Powder Coating


Features

- ★ 100 % Recyclable
- ★ Easy Cleaning
- ★ Maintenance Free
- ★ Weather Proof
- ★ Robust for Higher Safety

FR - 09



41 mm x 115 mm



Weight : 1.500 kg (1 Feet)
Length : 13 ft / 16 ft

Specification

- ★ Top Mounted Bracket system with continues cover profile.
- ★ This Product can support glass height up to full height.

Profile Size : 41 mm x 115 mm

Glass

- ★ 12 mm Toughened Glass
- ★ 25 mm Laminated Glass

Finishes

- ★ Wooden / Anodized / Powder Coating


Features

- ★ 100 % Recyclable
- ★ Easy Cleaning
- ★ Maintenance Free
- ★ Weather Proof
- ★ Robust for Higher Safety

FR - 10



60 mm x 100 mm



Weight : 1.100 kg (1 Feet)
Length : 13 ft / 16 ft

Specification

- ★ Top Mounted Bracket system with continues cover profile.
- ★ This Product can support glass height up to full height.

Profile Size : 60 mm x 100 mm

Glass

- ★ 12 mm Toughened Glass
- ★ 25 mm Laminated Glass

Finishes

- ★ Wooden / Anodized / Powder Coating


Features

- ★ 100 % Recyclable
- ★ Easy Cleaning
- ★ Maintenance Free
- ★ Weather Proof
- ★ Robust for Higher Safety

FR - 11



60 mm x 120 mm



Weight : 1.500 kg (1 Feet)
Length : 13 ft / 16 ft

Specification

- ★ Top Mounted Bracket system with continues cover profile.
- ★ This Product can support glass height up to full height.

Profile Size : 60 mm x 120 mm

Glass

- ★ 12 mm Toughened Glass
- ★ 25 mm Laminated Glass


Finishes

- ★ Wooden / Anodized / Powder Coating


Features

- ★ 100 % Recyclable
- ★ Easy Cleaning
- ★ Maintenance Free
- ★ Weather Proof
- ★ Robust for Higher Safety

FR - 12



50 mm x 90 mm



Weight : 0.950 gm (1 Feet)
Length : 13 ft / 16 ft

Specification

- ★ Top Mounted Bracket system with continues cover profile.
- ★ This Product can support glass height up to full height.

Profile Size : 50 mm x 90 mm

Glass

- ★ 12 mm Toughened Glass
- ★ 25 mm Laminated Glass

Finishes

- ★ Wooden / Anodized / Powder Coating


Features

- ★ 100 % Recyclable
- ★ Easy Cleaning
- ★ Maintenance Free
- ★ Weather Proof
- ★ Robust for Higher Safety

FR - 13



70 mm x 125 mm



Weight : 1.800 kg (1 Feet)
Length : 13 ft / 16 ft

Specification

- ★ Top Mounted Bracket system with continues cover profile.
- ★ This Product can support glass height up to full height.

Profile Size : 70 mm x 125 mm

Glass

- ★ 12 mm Toughened Glass
- ★ 25 mm Laminated Glass

Finishes

- ★ Wooden / Anodized / Powder Coating



Features

- ★ 100 % Recyclable
- ★ Easy Cleaning
- ★ Maintenance Free
- ★ Weather Proof
- ★ Robust for Higher Safety

FR - 14



56 mm X 90 mm



Weight : 0.160 gm (1 Feet)
Length : 13 ft / 16 ft

Specification

- ★ Top Mounted Bracket system with continues cover profile.
- ★ This Product can support glass height up to full height.

Profile Size : 56 mm X 90 mm

Square Bracket (65mm) - Weight : 0.250 gm

Glass

- ★ 12 mm Toughened Glass
- ★ 25 mm Laminated Glass

Finishes

- ★ Wooden / Anodized / Powder Coating


Features

- ★ 100 % Recyclable
- ★ Easy Cleaning
- ★ Maintenance Free
- ★ Weather Proof
- ★ Robust for Higher Safety

FR - 15



70 mm X 100 mm



Weight : 0.220 gm (1 Feet)
Length : 13 ft / 16 ft

Specification

- ★ Top Mounted Bracket system with continues cover profile.
- ★ This Product can support glass height up to full height.

Profile Size : 70 mm X 100 mm
Bracket (65mm) - Weight : 0.450 gm

Glass

- ★ 12 mm Toughened Glass
- ★ 25 mm Laminated Glass

Finishes

- ★ Wooden / Anodized / Powder Coating


Features

- ★ 100 % Recyclable
- ★ Easy Cleaning
- ★ Maintenance Free
- ★ Weather Proof
- ★ Robust for Higher Safety

FR - 16



65 mm x 100 mm



Weight : 0.220 gm (1 Feet)
Length : 13 ft / 16 ft

Specification

- ★ Top Mounted Bracket system with continues cover profile.
- ★ This Product can support glass height up to full height.

Profile Size : 65 mm x 100 mm
Bracket (65mm) - Weight : 0.450 gm

Glass

- ★ 12 mm Toughened Glass
- ★ 25 mm Laminated Glass

Finishes

- ★ Wooden / Anodized / Powder Coating



Features

- ★ 100 % Recyclable
- ★ Easy Cleaning
- ★ Maintenance Free
- ★ Weather Proof
- ★ Robust for Higher Safety

FR - 17



70 mm x 100 mm



Weight : 0.220 gm (1 Feet)
Length : 13 ft / 16 ft

Specification

- ★ Top Mounted Bracket system with continues cover profile.
- ★ This Product can support glass height up to full height.

Profile Size : 70 mm x 100 mm
Bracket (65mm) - Weight : 0.450 gm

Glass

- ★ 12 mm Toughened Glass
- ★ 25 mm Laminated Glass

Finishes

- ★ Wooden / Anodized / Powder Coating



Features

- ★ 100 % Recyclable
- ★ Easy Cleaning
- ★ Maintenance Free
- ★ Weather Proof
- ★ Robust for Higher Safety

FR - 18



90 mm x 115 mm



Weight : 0.220 gm (1 Feet)
Length : 13 ft / 16 ft

Specification

- ★ Top Mounted Bracket system with continues cover profile.
- ★ This Product can support glass height up to full height.

Profile Size : 90 mm x 115 mm
Bracket (65mm) - Weight : 0.450 gm

Glass

- ★ 12 mm Toughened Glass
- ★ 25 mm Laminated Glass

Finishes

- ★ Wooden / Anodized / Powder Coating


Features

- ★ 100 % Recyclable
- ★ Easy Cleaning
- ★ Maintenance Free
- ★ Weather Proof
- ★ Robust for Higher Safety

FR - 19



80 mm x 105 mm



Weight : 0.180 gm (1 Feet)
Length : 13 ft / 16 ft

Specification

- ★ Top Mounted Bracket system with continues cover profile.
- ★ This Product can support glass height up to full height.

Profile Size : 80 mm x 105 mm
Bracket (65mm) - Weight : 0.350 gm

Glass

- ★ 12 mm Toughened Glass
- ★ 25 mm Laminated Glass

Finishes

- ★ Wooden / Anodized / Powder Coating


Features

- ★ 100 % Recyclable
- ★ Easy Cleaning
- ★ Maintenance Free
- ★ Weather Proof
- ★ Robust for Higher Safety

FR - 20



88 mm x 130 mm



Weight : 0.400 gm (1 Feet)
Length : 13 ft / 16 ft

Specification

- ★ Top Mounted Bracket system with continues cover profile.
- ★ This Product can support glass height up to full height.

Profile Size : 88 mm x 130 mm
Bracket (65mm) - Weight : 0.700 gm

Glass

- ★ 12 mm Toughened Glass
- ★ 25 mm Laminated Glass

Finishes

- ★ Wooden / Anodized / Powder Coating


Features

- ★ 100 % Recyclable
- ★ Easy Cleaning
- ★ Maintenance Free
- ★ Weather Proof
- ★ Robust for Higher Safety

FR - 21



70 mm x 140 mm



Weight : 0.700 gm (1 Feet)
Length : 13 ft / 16 ft

Specification

- ★ Top Mounted Bracket system with continues cover profile.
- ★ This Product can support glass height up to full height.

Profile Size : 70 mm x 140 mm
Bracket (65mm) - Weight : 0.400 gm

Glass

- ★ 12 mm Toughened Glass
- ★ 25 mm Laminated Glass

Finishes

- ★ Wooden / Anodized / Powder Coating


Features

- ★ 100 % Recyclable
- ★ Easy Cleaning
- ★ Maintenance Free
- ★ Weather Proof
- ★ Robust for Higher Safety

FR - 22



85 mm x 140 mm



Weight : 0.700 gm (1 Feet)
Length : 13 ft / 16 ft

Specification

- ★ Top Mounted Bracket system with continues cover profile.
- ★ This Product can support glass height up to full height.

Profile Size : 85 mm x 140 mm
Bracket (65mm) - Weight : 0.400 gm

Glass

- ★ 12 mm Toughened Glass
- ★ 25 mm Laminated Glass

Finishes

- ★ Wooden / Anodized / Powder Coating



Features

- ★ 100 % Recyclable
- ★ Easy Cleaning
- ★ Maintenance Free
- ★ Weather Proof
- ★ Robust for Higher Safety

FR - 23



71 mm x 81 mm



Specification

- ★ Top Mounted Bracket system with continues cover profile.
- ★ This Product can support glass height up to full height.

Bracket Size : 71 mm x 81 mm

Glass

- ★ 12 mm Toughened Glass
- ★ 25 mm Laminated Glass

Finishes

- ★ Wooden / Anodized / Powder Coating



Features

- ★ 100 % Recyclable
- ★ Easy Cleaning
- ★ Maintenance Free
- ★ Weather Proof
- ★ Robust for Higher Safety

FR - 24



37 mm x 81 mm



Specification

- ★ Top Mounted Bracket system with continues cover profile.
- ★ This Product can support glass height up to full height.

Bracket Size : 37 mm x 81 mm

Glass

- ★ 12 mm Toughened Glass
- ★ 25 mm Laminated Glass

Finishes

- ★ Wooden / Anodized / Powder Coating



Features

- ★ 100 % Recyclable
- ★ Easy Cleaning
- ★ Maintenance Free
- ★ Weather Proof
- ★ Robust for Higher Safety

FR - 25



40 mm x 200 mm



Specification

- ★ Top Mounted Bracket system with continues cover profile.
- ★ This Product can support glass height up to full height.

Bracket Size : 40 mm x 200 mm

Glass

- ★ 12 mm Toughened Glass
- ★ 25 mm Laminated Glass

Finishes

- ★ Wooden / Anodized / Powder Coating

Features

- ★ 100 % Recyclable
- ★ Easy Cleaning
- ★ Maintenance Free
- ★ Weather Proof
- ★ Robust for Higher Safety

FR - 26



Bracket Size : 75 mm x 120 mm

FR - 27



Bracket Size : 75 mm x 70 mm

FR - 28



Bracket Size : 75 mm x 140 mm

Aluminium Hand Rail



Aluminium Hand Rail





FR - 101
Name : L - Bracket
Size : 65 mm x 100 mm



FR - 102
Name : T - Bracket
Size : 65 mm x 100 mm



FR - 103
Name : V - Bracket
Size : 50 mm x 100 mm



FR - 104
Name : Owl Bracket
Size : 50 mm x 100 mm



FR - 105
Name : Tower Bracket
Size : 50 mm x 100 mm



FR - 106
Name : Small Diamond Bracket
Size : 70 mm x 100 mm



FR - 107
Name : V - Bracket
Size : 50 mm x 100 mm



FR - 108
Name : Diamond Bracket
Size : 80 mm x 100 mm



FR - 109
Name : Side Mount Fitting
Length : 13 ft / 16 ft



Wall Conceal



FR - 133

L-Band & Fix Band



FR - 134

Connector & Jinter



FR - 135

Modular Band



FR - 136

S.S. Connector Patti



FR - 137





S.S. band Patti



FR - 138





Glass Railing Bracket

FINISH : GOLD - ROSE GOLD - BLACK - S.S.



Glass Railing Bracket

FINISH : GOLD - ROSE GOLD - BLACK - S.S.



Glass Railing Bracket

FINISH : GOLD - ROSE GOLD - BLACK - S.S.



Glass Railing Bracket

FINISH : GOLD - ROSE GOLD - BLACK - S.S.



FR - 187



FR - 188



FR - 189



FR - 190



FR - 191



FR - 192



FR - 193



FR - 194



FR - 195




FR - 196



FR - 197



FR - 198



FR - 199



FR - 200



FR - 201



FR - 202

Glass Railing Bracket

FINISH : GOLD - ROSE GOLD - BLACK - S.S.



FR - 203



FR - 204



FR - 205




FR - 206




FR - 207



FR - 208



FR - 209



FR - 210



FR - 211



FR - 212



FR - 213



FR - 214



FR - 215



FR - 216



FR - 217



FR - 218

Glass Railing Pipe

FINISH : GOLD - ROSE GOLD - BLACK - S.S.



FR - 219




FR - 220




FR - 221



FR - 222



FR - 223



FR - 224




FR - 225



FR - 226



FR - 227





Manufacture By

FLORAIL INDUSTRIES

Rajkot (Gujarat)